

**MADE TO LAST** 









## A sturdy construction made with the best components and shaped in a striking design

Every detail is meant to improve ergonomics, simplicity and comfort during use. The outline protects the machine and keeps reliability high over time. At its core, innovation and technology provide the best performance and power, ensuring high cleaning quality and efficiency. A new instrument panel makes you feel all the technology inside, totally changing the user experience.









### REDUCE THE TOTAL COST OF OWNERSHIP

The outer body surrounds the machine internal structure and mechanical parts, protecting them from accidental impact



Polyethylene makes the machine sturdy and shockproof

## The sturdy design reduces breakdowns, extends the machine lifetime and helps you save time and money



Aluminum increases machine reliability



#### SAVE TIME AND REDUCE COST TO CLEAN





#### ACCESSORY STORAGE COMPARTMENT

The operator can work in absolute tranquility in the knowledge that when he needs them, all the accessories are close at hand, and once finished with, these can easily be placed back in their compartment, allowing the cleaning operation to proceed without long interruptions and wasted time.





QUIET OPERATION IN OPENING HOURS
The Eco Mode and FNC technologies lower the noise level, safeguarding the health of the operator and of the people nearby





#### **EASY MAINTENANCE - COLOR CODED PARTS**

Parts which must be cleaned regularly at the end of every shift are colour coded in yellow for easy identification, saving time and making sure that your scrubbing machine is kept in perfect condition at all times



FFF - FIMAP FAST FILL

Automatic system for filling the fresh water tank, lets the operator perform other activities while the tank quickly fills up

#### Comfort and ease of use speed up cleaning operations



EASY MAINTENANCE
Spray gun for quick and easy cleaning of the recovery tank





#### **IMPROVE YOUR FACILITY IMAGE**



#### **POWER MODE**

#### Perfect cleaning is guaranteed in one pass

When more scrubbing power is needed, activating Power Mode increases the delivery rate of detergent solution and boosts brush pressure and vacuum power for the time necessary to tackle heavy duty cleaning



#### Further solutions to increase productivity

#### www.cleanatic.com



# Consistent cleaning results Pressure on the brushes is kept constant, delivering consistent high cleaning results on any type of flooring



## No risk of slipping The powerful 3-stage vacuum motor leaves the floor immediately dry and safe



Reduce downtimes
The largest tanks in its class:
less stops to fill/empty the tanks



FLR-FIMAP LONG RANGE Increases productivity by up to 70%


Great autonomy
Work for up to 4 hours non-stop





#### **VACUUM WAND**

Vacuum wand allows to clean areas that are out of reach of the machine and successfully fulfill the task





## SAFETY SYSTEMS FOR ACCIDENT-FREE CLEANING

## ACTIVE TECHNOLOGIES to prevent accidents



Enhances visibility in dim light

TOUCH SCREEN
DISPLAY



Control device letting the operator set the required speed

CRUISE CONTROL



Is automatically operated when the machine stops.
It works as a safety parking brake

**ELECTROBRAKE** 



For a fast operator training and reduced cost to clean

VIDEO TUTORIALS



Maximize work safety in all conditions

**LED HEADLIGHTS** 



#### They protect the operator, the people nearby and the environment





## PASSIVE SYSTEMS to help the operator in case of emergency



Reduces time to service in case of emergency. The red button sends an sms alert to receive a prompt help, reducing downtimes

SOS DEVICE



By pressing a single button the machine stops immediately

EMERGENCY STOP



The operator is the centre of a high-tech universe, where everything is easy, intuitive and dynamic



All functions and activities are managed from a single interface, where a mere touch of the finger offers access to an extraordinary choice of customisable features to satisfy all types of requirements with extreme simplicity.

The high definition colour display offers the same intuitive experience as a smartphone





LOG-IN WITH PASSWORD To protect your investment



ZONE PROGRAMS
For all the performance you'll ever need



**ECO MODE**To protect the environment



POWER MODE For maximum power when you need it



VIDEO TUTORIALS
For a more efficient, fast and easy operator training



#### **EXPERIENCE CONNECTIVITY**

Discover the FFM universe and experience the advantages of being constantly connected, with My.Machine app!



Keep tabs on your machines remotely when you want and from wherever you want!

Developing new technology to improve efficiency is one of the core missions of Fimap.

An example of this is FFM, the Fimap Fleet Management system which collects the data sent by the machines and transforms it into valuable information accessible to you easily in real time, 24/7, from your smartphone, through the app My.Machine.

Being constantly connected to your machines will help you operate them even more efficiently and effectively.

My.Machine lets you know where the machines are, if the

operation is being carried out according to plans and at the scheduled time.

The machines health status is constantly monitored. In the very unlikely event of a breakdown, you'll receive an alert notification directly on your smartphone, allowing you to take action promptly and immediately call the technical support.

You can check the battery conditions and the quality of the charges in order to optimize battery endurance and life cycle.

#### www.cleanatic.com



Watch the video













**GEOLOCALISATION** 

**USAGE INFORMATION**  **HEALTH STATUS** 

**ENVIRONMENTAL IMPACT** 

You know where your machines are You know how your machines are used

You know the health status of machines and batteries

You can check the machine consumption per intervention



#### SAVE RESOURCES

Advanced technological solutions offer a reduction in cost per sq.m. cleaned, more working autonomy, time savings and better cleaning results, letting you cover more surface area with the same resources.



The Eco Mode function helps prevent water, detergent and energy consumption by using only the quantities you need and nothing more

START&STOP

When the machine is idle, the brush motor, the vacuum motor\*, the traction and the water flow will turn off automatically, reducing costs and emissions.

All the functions are reactivated automatically

\*Suction is not turned off automatically in E versions. n basic and Pro versions suction turns off when the squeegee is lifted up

when the operator presence control is operated.





#### Sustainable solutions to protect the environment



\*Saving calculated on a triple recycling cycle



#### THE BEST FLEXIBILITY EVER

#### Choose your machine





with 1 disc brush or 1 pad holder




with 2 disc brushes

















with pad







# Build your own machine: create the perfect combination of tools that suits your requirements


#### Choose the instrument panel







Basic



Membrane control panel





#### **OPTIONALS AND ACCESSORIES**

#### **OPTIONALS**









Vacuum wand

Spray gun

FFF-FIMAP FAST FILL

FFM-FIMAP FLEET MANAGEMENT









Front driving LED headlights

**FSS-FIMAP SOLUTION SAVER** 

Battery charger on board

Squeegee holder accessory






FLR-FIMAP LONG RANGE

Supersoft Wheels

#### **ACCESSORIES**


#### www.cleanatic.com





A wide choice of disc or cylindrical brushes in PPL is offered, available in thicknesses from 0.3 to 0.9 cm. These offer the perfect solution for dealing with any type of dirt on any floor.

Abrasive brushes: Ideal for heavy duty cleaning on industrial surfaces.



Pads BLACK - Superior abrasiveness for rapid and thorough heavy duty cleaning. GREEN - Ideal for removing dirt from more delicate floors (rubber or linoleum). RED - Ideal for scrubbing delicate or treated



Rear squeegee rubber blades 33 SHORE (PARA) For maintenance cleaning of smooth floors. 40 SHORE (PARA) For stubborn dirt on floors with joints. For heavy duty cleaning on industrial

floors, even with wide gaps.




#### OPTIONAL AND STANDARD EQUIPMENT

						www.cicanatic.com								
	SINGLE DISC					DUAL	DISC		CYLINDRICAL ORBITAL					
USER EXPERIENCE	50 E	50 B/Bt	50 Bt Pro	50 Bt Plus	60 E	60 Bt	60 Bt Pro	60 Bt Plus	50 Bts	50 Bts Pro	50 Bts Plus	50 Bto	50 Bto Pro	50 Bto Plus
iD-Intelligent Drive:	-	-	-	•	-	-	-	•	-	-	•	-	-	•
- 5 inch high resolution colour touch screen	-	-	-	•	-	-	-	•	-	-	•	-	-	•
- Log-in with password	-	-	-	•	-	-	-	•	-	-	•	-	-	•
- Zone programs	-	-	•	•	-	-	•	•	-	•	•	-	•	•
- Cruise control	-	-	•	•	-	-	•	•	-	•	•	-	•	•
- Eco Mode	•	•	•	•	•	•	•	•	•	•	•	•	•	•
- Power Mode	-	-	-	•	-	-	-	•	-	-	•	-	-	•
- Video tutorials	-	-	-	•	-	-	-	•	-	-	•	-	-	•
Membrane control panel	-	-	•	-	-	-	•	-	-	•	-	-	•	-
COMFORT				l		l	l	l	l	l	l			
Hour meter			•	•	•	•	•	•			•		•	
Cleaning solution level indicator	•	•	•	•	•	•	•	•	•	•	•	•	•	
Fresh water empty tank light	_	l .	_	•	_		_	•	_		•		_	•
Battery charger	-	0	0	0	-	0	0	0	0	0	0	0	0	0
Automatic brush coupling/uncoupling	<u> </u>	-/•	•	•	_	_	_	_	_	_	_	_	_	_
Brush and squeegee actuator	-	-	-	•	-	-	-	•	-	-	•	-	-	•
Brush head actuator	-	-	•	-	-	-	•	-	-	•	-	-	•	-
Brush head manual lifting	•	•	-	-	•	•	-	-	•	-	-	•	-	-
Squeegee manual lifting	•	•	•	-	•	•	•	-	•	•	-	•	•	-
Vacuum wand with 3 stage motor*	-	-	0	0	-	-	0	0	-	0	0	-	0	0
Spray gun*	-	-	0	0	-	-	0	0	-	0	0	-	0	0
Squeegee holder accessory	-	-	0	0	-	-	0	0	-	0	0	-	0	0
FFF (Fimap Fast Fill)	-	-	0	0	-	-	0	0	-	0	0	-	0	0
Noiseless suction	-	-	•	-	-	-	•	-	-	•	-	-	•	-
PRODUCTIVITY														
Water flow selector	-	-	•	•	-	-	•	•	-	•	•	-	•	•
Triple pressure selector	-	-	-	•	-	-	-	•	-	-	•	-	-	•
Double pressure	•	•	•	-	•	•	•	-	•	•	-	•	•	-
FFM (Fimap Fleet Management) with SOS device	-	0	0	0	-	0	0	0	0	0	0	0	0	0
Frame, squeegee and squeegee support in aluminum	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Vacuum speed selector	-	-	-	•	-	-	-	•	-	-	•	-	-	•
SAFETY														
Driving LED headlights (front)	-	0	•	•	-	•	0	•	0	0	•	0	•	•
Emergency Stop		_	_	-		-	-	-	-	_	-	_		-
Supersoft wheels	0	0	•	•	0	•	•	•	•	•	•	•	•	•
Electro parking brake		-/•	_					_	_	_	_	_	_	
ENVIRONMENT														
FSS (Fimap Solution Saver)**	-	-	0	0	-	-	0	0	-	0	0	-	0	0
FLR (Fimap Long Range)**	-	-	0	0	-	-	0	0	-	0	0	-	0	0
FNC (Fimap Noise Canceling)	•	•	-	-	•	•	-	-	•	-	-	•	-	-
FES (Fimap Energy Saver)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FWF (Fimap Water Flow)	-	-	-	-	•	•	•	•	-	-	-	-	-	-
Start&Stop	•	•	•	•	•	•	•	•	•	•	•	•	•	•
* In PRO versions the two devices cannot be installed togeth	er					STAND	ΔRD		O LIPON	REQUEST		- NOT AV		


<sup>\*</sup> In PRO versions the two devices cannot be installed together

<sup>\*\*</sup> The two devices cannot be installed together

#### **DIMENSIONS AND TECHNICAL DATA**







50 E/B/Bt/Bto: 712 mm 50 Bts/60 E/Bt: 785 mm

50 E/B/Bt: 1299 mm 50 Bto: 1240 mm 50 Bts: 1277 mm 60 E/Bt: 1268 mm

TECHNICAL DATA – Maxima			SINGI	LE DISC		DUA	L DISC	(	CYLINDRICAL		ORBITAL	
		50 E	50 B/Bt	50 Bt Pro 50 Bt Plus	60 E	60 Bt	60 Bt Pro 60 Bt Plus	50 Bts	50 Bts Pro Flus	50 Bto	50 Bto Pro Plus	
Productivity theoretical	up to sqm/h	-	-/1887	1887	-		2239		1776		1887	
Estimated coverage	up to sqm/h	1275		1513				1200	1275			
SCRUBBING SYSTEM												
Working width	mm		. 5	510		6	05		480	510		
Brush motors	(no.) V/W	(1) 230/375		(1) 24/500	(2) 230/375				(2) 24/350	(1) 24/680		
Brush rpm	rpm			1-	140				600	-		
Oscillations	rpm				-					2000		
Brush pressure (min - max)	kg	21	21÷36	21÷45	27	26÷36	26÷45	25÷28 25÷35		28÷36	28÷45	
TANK AND RECOVERY SYSTEM												
Solution tank	I						53					
Recovery tank	I						55					
Suction motor	V/W	230/450		24/422	230/450				24/422			
Vacuum water lift	mbar	123		121	123			121				
3-stage vacuum motor (for vacuum wand)	V/W		-	24/680		-	24/680	-	24/680	-	24/680	
Vacuum water lift (3-stage motor)	mbar	- 181		- 181		181	-	181	-	181		
Detergent tank capacity (FSS)	I		- 3		-		3	-	3	-	3	
Maximum volume of the debris hopper	1								3,6	-		
BATTERY SYSTEM										T T		
Supply/traction	V/Hz	230/50	24/semi aut./aut.	24/aut.	230/50		24/aut.					
Batteries	(no.) V/Ah C5	-		2) 12/105 GEL 2) 12/110 WET	-		(2) 12/105 GEL (2) 12/110 WET					
Battery run time*	up to h	-	4,6/3,9	3,2	-	3,4	3,2	2,8	2,2	3	3,2	
PROPELLING SYSTEM		_						_				
Forward working speed	km/h						3,5					
Transport speed	km/h	3,5	3,5/4,9	4,9	3,5				4,9			
Traction motor	V/W	-		(1) 24/150	-							
SPECIFICATIONS												
SI ECITICATIONS			1	100		1	268		1277		1240	
Machine dimensions (L x h x w)	mm	1299 1097 558				10	997 41	1097 567		1240 1097 547		
Squeegee width	mm	712			785					712		
Machine weight empty without batteries	kg	100	105/112	105	110	122	129	122	129	119	122	
Machine weight empty with batteries	kg	-	183/190	183	-	200	207	200	207	197	200	
GVW (Gross Vehicle Weight)	kg	154	239/246	247	164	256	271	260	275	253	264	
Sound level (ISO 11201)	dB (A)						66,8					
Sound level (ISO 11201) - Eco Mode	dB (A)	60,2										

<sup>\*</sup> Run times are based on continuous scrubbing run times



Your best investment in cleaning

The service package that gives you more of what you need for less than you think! We want you to deal only with your work, leave everything else to Fimap Life!

#### FIMAP INTELLIGENCE



#### FIMAP FINANCE



#### FIMAP MAINTENANCE



#### (A) FIMAP FLEET MANAGEMENT



#### 🥱 FIMAP NETWORK



#### FIMAP ACADEMY











For any additional information or for a demo please contact your usual Fimap dealer











